

ĺ

TITLE:

ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635

FILED: JUNE 4, 2001

APPLICANT: APPLIED MATERIALS

TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER

KROEKER INVENTOR:

PAGE 1 OF 18




Fig. 1 (PRIOR ART)

ATTY DKT. No.: U.S. SERIAL No.:

FILED:

APPLICANT: TITLE:


APPLIED MATERIALS
SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER

TRANSPORT INVENTOR:

KROEKER

PAGE 2 OF 18

2/18



ATTY DKT. No.: U.S. SERIAL No.:

FILED:


AMAT/2640.Y2/SYNX/SYNX/JB1
09/874,550 Conf. No.: 6635
JUNE 4, 2001
APPLIED MATERIALS
SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER

APPLICANT: TITLE: TRANSPORT INVENTOR:

KROEKER

PAGE 3 OF 18

3/18



ATTY DKT. NO.: AM./ U.S. SERIAL NO.: 09/8 FILED: JUN

AMAT/2640.Y2/SYNX/SYNX/JB1

09/874,550 JUNE 4, 2001

APPLIED MATERIALS SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER


TRANSPORT INVENTOR:

APPLICANT: TITLE:

PAGE 4 OF 18

CONF. No.: 6635

4/18



ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635

FILED: JUNE 4, 2001

APPLICANT: APPLIED MATERIALS


TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER TITLE:

INVENTOR:

KROEKER

PAGE 5 OF 18

5/18



 $ldsymbol{le}}}}}}}$

FILED:
APPLICANT:
TITLE:
TRANSPORT
INVENTOR:

ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635


FILED: JUNE 4, 2001

APPLICANT: APPLIED MATERIALS

TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER

KROEKER

PAGE 6 OF 18



ATTY DKT. NO.:
U.S. SERIAL NO.:
FILED:
APPLICANT:
TITLE:
IRANSPORT

AMAT/2640.Y2/SYNX/SYNX/JB1
09/874,550 CONF. No.: 6635
JUNE 4, 2001
APPLIED MATERIALS
SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER

INVENTOR:

oxdot

KROEKER

PAGE 7 OF 18




Fig. 7

ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635

FILED: JUNE 4, 2001


APPLICANT: APPLIED MATERIALS

TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER

APPLICANT:
TITLE:
TRANSPORT
INVENTOR:

KROEKER

PAGE 8 OF 18



ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1
U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635


FILED: JUNE 4, 2001
APPLICANT: APPLIED MATERIALS
TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER
IRANSPORT

KROEKER

INVENTOR:

PAGE 9 OF 18

9/18



ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635

FILED: JUNE 4, 2001

APPLICANT: APPLIED MATERIALS


TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER


APPLICANT: TITLE: TRANSPORT

INVENTOR:

KROEKER

PAGE 10 OF 18





ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635

FILED: JUNE 4, 2001

APPLICANT: APPLIED MATERIALS

TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER


APPLICANT: TITLE: FRANSPORT


INVENTOR:

KROEKER

PAGE 11 OF 18

11/18





ATTY DKT. No.: AMAT/2640.Y2/SYNX/SYNX/JB1 O9/874,550 CONF. No.: 6635

JUNE 4, 2001

APPLIED MATERIALS

SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER U.S. SERIAL NO .:

FILED: APPLICANT: TITLE:


TRANSPORT INVENTOR:


L


KROEKER

PAGE 12 OF 18

12/18








AMAT/2640.Y2/SYNX/SYNX/JB1
09/874,550 CONF. No.: 6635
JUNE 4, 2001
APPLIED MATERIALS
SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER ATTY DKT. No.: U.S. SERIAL No.: FILED: APPLICANT:

TITLE:

FRANSPORT KROEKER INVENTOR:

L

PAGE 13 OF 18



ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635

FILED: JUNE 4, 2001

APPLICANT: APPLIED MATERIALS

TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER APPLICANT: TITLE: TRANSPORT INVENTOR: KROEKER PAGE 14 OF 18 14/18 216 -.....*I*.... Fig. 10L Fig. 10M Fig. 10N 432 424 500 502 216--B434 424

L

ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635

FILED: JUNE 4, 2001

APPLICANT: APPLIED MATERIALS

TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER FILED:
APPLICANT:
TITLE:
FRANSPORT


PAGE 15 OF 18


 \neg


INVENTOR:

KROEKER

15/18







 L

ATTY DKT. NO.: AMAT/2640.Y2/SYNX/SYNX/JB1

U.S. SERIAL NO.: 09/874,550 CONF. NO.: 6635

FILED: JUNE 4, 2001

APPLICANT: APPLIED MATERIALS


TITLE: SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER

TRANSPORT

KROEKER INVENTOR:

PAGE 16 OF 18

16/18



AMAT/2640.Y2/SYNX/SYNX/JB1 09/874,550 C JUNE 4, 2001 ATTY DKT. No.: U.S. SERIAL No.: CONF. NO.: 6635


FILED: APPLICANT:

APPLIED MATERIALS SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER TITLE:

INVENTOR: KROEKER

PAGE 17 OF 18

17/18



AMAT/2640.Y2/SYNX/SYNX/JB1 09/874,550 JUNE 4, 2001 CONF. No.: 6635

ATTY DKT. NO.:
U.S. SERIAL NO.:
FILED:
APPLICANT:
TITLE:
TRANSPORT
INVENTOR:

APPLIED MATERIALS SINGLE WAFER LOAD LOCK WITH INTERNAL WAFER

KROEKER

PAGE 18 OF 18

18/18

